

Cypermethrin

Cypermethrin is a broad-spectrum pyrethroid insecticide that is used in a wide range of applications. It maintains a leading position in the pyrethroid market offering low-cost pest control in spite of generally higher dose rates compared with Alpha-cypermethrin. Cypermethrin has a good residual activity on treated plants.



Action:

- non-systemic
- contact and stomach

IRAC classification: 3

CAS No.: 52315-07-8

Technical grade: min. 92%

Formulations: 100 EC, 200 EC, 250 EC

Packaging¹:

- 200 kg (tech.)
- 200, 20, 1, 0.5, 0.25 ltr. (form.)

Crops	Pests	Dose rate ² g a.i./ha
Coffee	Leaf miner (<i>Perileucoptera coffeella</i>)	25 – 50
Cotton	American bollworm (<i>Heliothis armigera</i>), Pink bollworm (<i>Pectinophora gossypiella</i>), Cotton stainer (<i>Dysdercus ruficollis</i>), Leaf worms (<i>Spodoptera</i> spp.), White fly (<i>Bemisia tabaci</i>)	50 – 100
Maize	American bollworm (<i>Heliothis</i> spp.), Stalk borer (<i>Sesamia calamistis</i>), <i>Spodoptera</i> spp.	40 – 50
Potato	Leaf miner (<i>Phthorimaea operculella</i>)	75 – 125
Tobacco	Leaf miner (<i>Phthorimaea operculella</i>), White fly (<i>Bemisia tabaci</i>), <i>Heliothis</i> spp.	50 – 100
Tomato	American bollworm (<i>Heliothis armigera</i>), Armyworm (<i>Prodenia</i> spp.)	30 – 125
Vegetables	Butterfly (<i>Pieris</i> spp.), Cut worm (<i>Agrotis ipsilon</i>), Leaf miner (<i>Liriomyza brassicae</i>), <i>Jassidae</i> , <i>Heliothis</i> spp., <i>Trichoplusia ni</i> , <i>Spodoptera ornithogalli</i>	40 – 90

¹upon request we provide customized packaging

²always follow national label recommendations

